



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

#### **Certification ID: WFA81311**

#### **Product Info**

**Date of Certification** May 18, 2020

Company Samsung Electronics

Product Name SM-G970XC

**Product Model Variant** 2020-05-18 (WFA81311 - 11001510)

Model Number SM-G970XC

**Category** Phones

**Sub-category** Smartphone

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Alternative topologies Wi-Fi Aware™

Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2018

Performance Voice-Enterprise

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Enterprise 2018-04 WPA3<sup>™</sup>-Personal 2019-08 Wi-Fi Enhanced Open<sup>™</sup> 2018-04

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a



### **Certification ID: WFA81311**



Summary of Certifications (continued)		Page 2 of 4
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	







Role: Station		Page 3 of 4	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:10.0	Bands Supported	Transmit (Tx) Receive (Rx)	
Wi-Fi Component Firmware 100.11.3.1 13.48.6	2.4 GHz	2 2	
100.11.3.1 13.40.0	5 GHz	2 2	
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2	2018-04 (continued)	
20 MHz Channel Width in 2.4 GHz	EAP TLS		
5 GHz Spectrum Capabilities	WPA2™-Personal 2018-04		
20 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2	2018-04	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP TLS		
Protected Management Frames	WPA3™-Personal 20	019-08	
Spectrum & Regulatory	Wi-Fi Agile Multiband™		
Voice-Enterprise	Wi-Fi Aware™		
WMM®		Bluetooth® Low Energy - Browser	
WMM®-Admission Control	Bluetooth® Low Energy - S	Bluetooth® Low Energy - Provider Bluetooth® Low Energy - Seeker	
WMM®-Power Save	Device Ranging		
WPA2™-Enterprise 2018-04	Wi-Fi CERTIFIED 6®	Wi-Fi CERTIFIED 6®	
EAP methods	A-MPDU with A-MSDU		



**Certification ID: WFA81311** 



Role: Station Page 4 of 4

# Wi-Fi CERTIFIED 6® (continued) **BSRP** Trigger frame DL MU-MIMO Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame M-BSSID Operating mode control field Operating mode indication SU beamformee **UL OFDMA** Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Short Guard Interval Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2018-04 Wi-Fi Optimized Connectivity™ 2018