



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA57064**

## Product Info

<b>Date of Certification</b>	November 13, 2014
<b>Company</b>	Sony Group Corporation
<b>Product Name</b>	AV Receiver
<b>Product Model Variant</b>	2014-11-13 (WFA57064 - 2396480)
<b>Model Number</b>	STR-DN1060
<b>Category</b>	Gaming, Media & Music
<b>Sub-category</b>	Digital Audio - Stationary (speakers, receiver, MP3 player)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Applications &amp; Services</b>	Miracast®
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
<b>Optimization</b>	WMM®
<b>Security</b>	WPA2™-Personal WPA™-Personal
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA57064



Role: Station

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

23102

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz

### Spectrum & Regulatory

802.11h

WMM®

WPA2™-Personal

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
RIFS  
Power Management  
Short Guard Interval

### Wi-Fi Direct®

### Wi-Fi Protected Setup™

PIN  
Pushbutton



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA57064



Role: Display

Page 3 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

23102

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

## Certifications

Miracast®