



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA57715

Product Info

Date of Certification December 15, 2014

Company LG Electronics

Product Name LG-H950

Product Model Variant 2014-12-15 (WFA57715 - 2492340)

Model Number LG-H950

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 1

Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise WPA2[™]-Personal WPA[™]-Enterprise WPA[™]-Personal







Role: Station Page 2 o			age 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:L	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware V1.0	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sa	ve (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save			
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Enterprise			
20 MHz Channel Width in 5 GHz	EAP methods			
40 MHz Channel Width in 5 GHz	EAP AKA			
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP FAST-MSCHA	Pv2		
	EAP SIM	\(
Passpoint® Release 1	EAP TLS			
Display and input method	EAP TTLS			
Display of HS2.0 indication	PEAPv0 PEAPv1			
NAI Home Realm Query element	I LAI VI			
Operating Class Indication SIM credentials	MAD A OTHER			
USIM Credentials	WPA2™-Personal			
	WPA™-Enterprise	•		
Protected Management Frames	WPA™-Personal			
WMM®	Wi-Fi CERTIFIED™ a			
WMM®-Power Save	Wi-Fi CERTIFIED™ ac			

Wi-Fi CERTIFIED™ ac





Certification ID: WFA57715

Role: Station Page 3 of 4

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

RIFS

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Direct Send - Transmit

Wi-Fi Direct Send - Receive

Wi-Fi Protected Setup™

PIN

Pushbutton

NFC interface

NFC tag





Certification ID: WFA57715

Role: Source		Page 4 of 4		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:L Wi-Fi Component Firmware V1.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
Miracast®				