



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA58555

Product Info

Date of Certification January 23, 2015

Company LG Electronics

Product Name LG-V412

Product Model Variant 2015-01-23 (WFA58555 - 2613105)

Model Number LG-V412

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 1

Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security WPA2[™]-Enterprise

WPA2[™]-Personal WPA[™]-Enterprise WPA[™]-Personal





Certification ID: WFA58555

Role: Station		Page 2 of 4		
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:KK	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	,	1	
V1.0				
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterpri	WPA2™-Enterprise (continued)		
20 MHz Channel Width in 2.4 GHz	PEAPv0			
40 MHz Channel Width in 2.4 GHz	PEAPv1			
5 GHz Spectrum Capabilities	WPA2™-Persona			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA™-Enterprise	9		
	WPA™-Personal			
Passpoint® Release 1	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ a		
WMM®	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ b		
WMM®-Power Save	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ g		
WPA2™-Enterprise	Wi-Fi CERTIFIED	™ n		
EAP methods	STBC			
EAP AKA	A-MPDU Tx			
EAP AKA Prime EAP FAST-MSCHAPv2	OBSS on Extension Ch	annel		
EAP SIM	RIFS			
EAP TLS	Short Guard Interval			

Wi-Fi Direct®





Certification ID: WFA58555

Role: Station		Page 3 of 4
	Wi-Fi Protected Setup™	l
	PIN Pushbutton	





Certification ID: WFA58555

Role: Source			Page 4 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:KK Wi-Fi Component Firmware V1.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
Miracast®				
HDCP Encryption				