

## Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA58843**

#### **Product Info**

**Date of Certification** February 11, 2015

**Company** Dell Technologies

Product Name Venue 10 5055 (WLAN-ONLY)

**Product Model Variant** 2015-02-11 (WFA58843 - 2667975)

Model Number 5055 series

Category Tablets, Ereaders & Cameras

**Sub-category** Tablet (Wi-Fi only)

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

**Applications** Miracast®

Network management WMM®

Security WPA2<sup>™</sup>-Enterprise

WPA2™-Personal

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA58843** 



**Role: Station** Page 2 of 3 Wi-Fi Components Wi-Fi Component Operating System **RF Architecture** Android, version:Lollipop Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 5.93.99.207 5 GHz Certifications 2.4 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ g 20 MHz Channel Width in 2.4 GHz Wi-Fi CERTIFIED™ n 40 MHz Channel Width in 2.4 GHz **STBC** A-MPDU Tx **5 GHz Spectrum Capabilities** HT Duplicate Mode **OBSS** on Extension Channel 20 MHz Channel Width in 5 GHz **RIFS** 40 MHz Channel Width in 5 GHz Short Guard Interval **WMM®** Wi-Fi Direct® WPA2™-Enterprise Wi-Fi Protected Setup™ EAP methods PIN **EAP TLS** Pushbutton **EAP TTLS** PEAPv0 PEAPv1 WPA2™-Personal Wi-Fi CERTIFIED™ a



# **Wi-Fi CERTIFIED™ Certificate**





Role: Source		Page 3 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:Lollipop  Wi-Fi Component Firmware  5.93.99.207	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
Miracast®			
minuoustes			