

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA62286

Product Info

| Date of Certification | September 28, 2015 | |
|-----------------------|---------------------------------|--|
| Company | Top Victory Investments Ltd. | |
| Product Name | Philips EU Smart TV | |
| Product Model Variant | 2015-09-28 (WFA62286 - 3416032) | |
| Model Number | 75PUS7101 | |
| Category | Televisions & Set Top Boxes | |
| Sub-category | Television | |

Summary of Certifications

| CLASSIFICATION Access | CERTIFICATION Wi-Fi Protected Setup™ |
|--------------------------|---|
| Connectivity | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n |
| Optimization | WMM® |
| Security | Protected Management Frames WPA2™-Personal WPA™-Personal |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA62286



Role: Station

Page 2 of 2

Wi-Fi Components

Wi-Fi Component Operating System

Android, version: Android, version: 5.1

Wi-Fi Component Firmware

4.2.3.5

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval STBC LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WPA2™-Personal

WPA[™]-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

Wi-Fi CERTIFIED™ n

| STBC |
|----------------------|
| A-MPDU Tx |
| HT Duplicate Mode |
| RIFS |
| Power Management |
| Short Guard Interval |

Wi-Fi Protected Setup™

PIN

Pushbutton