



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA66426**

#### **Product Info**

**Date of Certification** June 28, 2016

Company TCL Communication Ltd.

Product Name DTEK 50™

**Product Model Variant** 2016-06-28 (WFA66426 - 4341825)

Model Number STH100-2 (RJD211LW)

**Category** Phones

**Sub-category** Smartphone

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise WPA2<sup>™</sup>-Personal WPA<sup>™</sup>-Enterprise WPA<sup>™</sup>-Personal







Role: Station Page 2 of				
Wi-Fi Components				
<b>Wi-Fi Component Operating System</b> Android, version:M	RF Architecture			
	Bands Supported Transmit (Tx) Receive	(Rx)		
Wi-Fi Component Firmware CNSS.PR.3.0.C2	2.4 GHz 1 1			
	5 GHz 1 1			
	0 0112			
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise (continued)			
20 MHz Channel Width in 2.4 GHz	PEAPv0			
40 MHz Channel Width in 2.4 GHz	PEAPv1			
5 GHz Spectrum Capabilities	WPA2™-Personal			
20 MHz Channel Width in 5 GHz	WPA™-Enterprise			
40 MHz Channel Width in 5 GHz				
80 MHz Channel Width in 5 GHz	WPA™-Personal			
Protected Management Frames	Wi-Fi CERTIFIED™ a	Wi-Fi CERTIFIED™ a		
WMM®	Wi-Fi CERTIFIED™ ac			
WANG Barray Carra	MCS 8-9 Rx			
WMM®-Power Save	Short Guard Interval			
WPA2™-Enterprise	STBC LDPC Tx			
510 # 1	SU beamformee			
EAP methods  EAP AKA				
EAP AKA Prime	Wi-Fi CERTIFIED™ b			
EAP SIM	WITT CERTIFIES S			
EAP TLS	Wi-Fi CERTIFIED™ g			
EAP TTLS				

Wi-Fi CERTIFIED™ n





**Certification ID: WFA66426** 

Role: Station	Page 3 of 4
Wi-Fi CERTIFIED™ n (continued)	
STBC	
A-MPDU Tx	
OBSS on Extension Channel	
RIFS	
Power Management	
Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





**Certification ID: WFA66426** 

Role: Source Page 4 of 4			age 4 of 4
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:M  Wi-Fi Component Firmware  CNSS.PR.3.0.C2	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	1	1
Certifications			
Miracast®			