

## Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

### **Certification ID: WFA68081**

#### **Product Info**

**Date of Certification** October 26, 2016

Company LG Electronics

Product Name OLED55E7K

**Product Model Variant** 2016-10-26 (WFA68081 - 4708562)

Model Number OLED55E7K

Category Televisions & Set Top Boxes

**Sub-category** Television

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

**Applications** Miracast®

Network management WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2™-Personal

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED® Certificate

**Certification ID: WFA68081** 



Role: Station		Pa	age 2 of 3		
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz	2	2		
1.0	5 GHz	2	2		
	3 01 12		۷.		
Certifications					
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED <sup>™</sup>	<sup>™</sup> ac (continued)	)		
20 MHz Channel Width in 2.4 GHz	MCS 8-9 Rx				
40 MHz Channel Width in 2.4 GHz	Short Guard Interval LDPC Tx				
	SU beamformee				
5 GHz Spectrum Capabilities					
20 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ b				
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g				
Protected Management Frames	Wi-Fi CERTIFIED <sup>™</sup>	™ n			
Protected Management Frames	A-MPDU Tx				
WMM®	HT Duplicate Mode OBSS on Extension Channel RIFS				
WMM®-Power Save					
WPA2™-Personal	Short Guard Interval				
Wi-Fi CERTIFIED™ a	Wi-Fi Direct®				
Wi-Fi CERTIFIED™ ac	Wi-Fi Protected So	etup™			
A-MPDU with A-MSDU	PIN				
LDPC Rx	Pushbutton				



# Wi-Fi CERTIFIED® Certificate





Role: Display	Page 3 of 3		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
1.0	5 GHz	2	2
Certifications			
Miracast®			