



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA68538

Product Info

Date of Certification November 18, 2016

Company LG Electronics

Product Name LG-V525S2

Product Model Variant 2016-11-18 (WFA68538 - 4803240)

Model Number LG-V525S2

Category Tablets, Ereaders & Cameras

Sub-category Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise WPA2[™]-Personal WPA[™]-Enterprise





Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	





Certification ID: WFA68538

Role: Station Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:M

Wi-Fi Component Firmware

Ver 1.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Passpoint® Release 2

Display and input method
Display of HS2.0 indication
NAI Home Realm Query element
Network Information in network selection
Operating Class Indication
SIM credentials

Protected Management Frames

Spectrum & Regulatory

Spectrum & Regulatory (continued)

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise

EAP methods

EAP AKA

EAP AKA Prime

EAP FAST-MSCHAPv2

EAP SIM

EAP TLS

EAP TTLS

PEAPv0





Role: Station	Page 4 of 6
WPA2™-Enterprise (continued)	Wi-Fi Protected Setup™ (continued)
PEAPv1	Pushbutton
WPA2™-Personal	
WPA™-Enterprise	
WPA™-Personal	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
Short Guard Interval LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC A-MPDU Tx OBSS on Extension Channel RIFS Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN	





Role: Source Page 5 of 6			age 5 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:M	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware Ver 1.0	2.4 GHz	1	1
ver i.u	5 GHz	1	1
Contifications			
Certifications			
Miracast®			





Role: Display Page 6 of 6			age 6 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:M	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware Ver 1.0	2.4 GHz	1	1
	5 GHz	1	1
Certifications			
Miracast®			