

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA73390

Product Info

Date of Certification August 31, 2017

Company Lexmark International, Inc.

Product Name Lexmark MarkNet N8372

Product Model Variant 2017-08-31 (WFA73390 - 6139378)

Model Number 9096-002

Category Computers & Accessories

Sub-category Printer/Multi-Function Printer/Print Server

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

Security Protected Management Frames

WPA2™-Enterprise WPA2™-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA73390



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Proprietary / Other, version:4.11, description:

Linux based kernel for Lexmark

Wi-Fi Component Firmware

1.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

WPA2™-Enterprise (continued)

PEAPv0

5 GHz Spectrum Capabilities

Protected Management Frames

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Spectrum & Regulatory

Wi-Fi CERTIFIED™ a

WPA2™-Personal

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

WMM®

802.11h

Wi-Fi CERTIFIED™ b

WPA2™-Enterprise Wi-Fi CERTIFIED™ g

EAP methods

EAP TLS

EAP TTLS

Wi-Fi CERTIFIED™ n

STBC



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA73390



Role: Station

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
RIFS
Power Management
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Protected Setup™

PIN
Pushbutton