



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA77406**

#### **Product Info**

**Date of Certification** April 27, 2018

Company LG Electronics

Product Name 24TL520S

**Product Model Variant** 2018-04-27 (WFA77406 - 7149475)

Model Number 24TL520S

Category Televisions & Set Top Boxes

**Sub-category** Television

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2™-Personal 2017-10

WPA™-Personal





PLLIANCE	Certification ID: WFA77406			CERTIFIED	,
Role: Station			Pa	age 2 of 4	
Wi-Fi Components Wi-Fi Component Operation Linux Wi-Fi Component Firmwan 1.0		RF Architecture  Bands Supported  2.4 GHz  5 GHz	Transmit (Tx) 2 2	Receive (Rx) 2 2	
2.4 GHz Spectrum Capability 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz		A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee	<sup>м</sup> ac (continued)		
80 MHz Channel Width in 5 GHz  Protected Management Fra  WMM®	ames	Wi-Fi CERTIFIEDTI Wi-Fi CERTIFIEDTI  A-MPDUTX	м g		

WMM®-Power Save

WPA2<sup>™</sup>-Personal 2017-10

**WPA™-Personal** 

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

RIFS

Short Guard Interval

#### Wi-Fi Direct®

Wi-Fi Protected Setup™





**Certification ID: WFA77406** 

Role: Station	Page 3 o
Wi-Fi Protected Setup™ (continued)	
PIN	
Pushbutton	





**Certification ID: WFA77406** 

Role: Display	Page 4 of 4				
Wi-Fi Components					
Wi-Fi Component Operating System RF Architecture					
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware 1.0	2.4 GHz	2	2		
1.0	5 GHz	2	2		
Certifications					
Miracast®					