

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA83100

Product Info

Date of Certification March 25, 2019

Company Samsung Electronics

Product Name SM-M405F/DS

Product Model Variant 2019-03-25 (WFA83100 - 8227858)

Model Number SM-M405F/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2018-04

Spectrum & Regulatory

Features

Spectrum & Regulatory



WMM®-Power Save

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA83100



Role: Station		Р	age 2 of 3
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:9.0 Wi-Fi Component Firmware 3.0.1.395.0	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	1	1
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 2.4 GHz	EAP methods		
40 MHz Channel Width in 2.4 GHz	EAP AKA EAP AKA Prime		
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP SIM EAP TLS EAP TTLS PEAPv0 PEAPv1		
80 MHz Channel Width in 5 GHz			
Protected Management Frames	WPA2™-Personal	2018-04	
Spectrum & Regulatory	WPA3™-Enterprise 2018-04		
802.11h	EAP methods EAP AKA EAP AKA Prime		
Voice-Enterprise	EAP SIM		
	EAP TLS EAP TTLS		
WMM®	PEAPv0		
WMM®-Admission Control	PEAPv1		

WPA3™-Personal 2018-04



Wi-Fi Direct®

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA83100



Role: Station Page 3 of 3 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx **OBSS** on Extension Channel Short Guard Interval