

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA90419

Product Info

Date of Certification	June 25, 2019
Company	Hitron Technologies
Product Name	XE1v2
Product Model Variant	2019-06-25 (WFA90419 - 8938229)
Model Number	XE1v2
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2018-04 WPA [™] -Enterprise WPA [™] -Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA90419



Role: Access Point Page 2 of 3 **Wi-Fi Components RF** Architecture Wi-Fi Component Operating System Linux, version:4.4.60 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 QCA_Networking_2017.SPF.5.2 5 GHz 2 2 Certifications 2.4 GHz Spectrum Capabilities WPA2[™]-Personal 2018-04 20 MHz Channel Width in 2.4 GHz WPA[™]-Enterprise 40 MHz Channel Width in 2.4 GHz WPA[™]-Personal **5 GHz Spectrum Capabilities** Wi-Fi CERTIFIED™ a 20 MHz Channel Width in 5 GHz Wi-Fi CERTIFIED™ ac 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz A-MPDU with A-MSDU LDPC Rx LDPC Tx **Protected Management Frames** MCS 8-9 Rx Short Guard Interval WMM® STBC SU beamformer WMM®-Power Save Legacy Power Save Wi-Fi CERTIFIED™ b Unschedule auto PS Wi-Fi CERTIFIED™ g WPA2[™]-Enterprise 2018-04 Wi-Fi CERTIFIED™ n EAP methods **OBSS** on Extension Channel Short Guard Interval



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA90419



Page 3 of 3

Role: Access Point

Wi-Fi CERTIFIED™ n (continued)

STBC A-MPDU Tx

Wi-Fi Protected Setup™

PIN

Pushbutton