

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA91358

Product Info

Date of Certification	August 14, 2019
Company	Samsung Electronics
Product Name	SM-A307FN
Product Model Variant	2019-08-14 (WFA91358 - 9729699)
Model Number	SM-A307FN
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2018-04 WPA [™] -Enterprise WPA [™] -Personal
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA91358



Role: Station Page 2 of 3 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android, version:9.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 **REV1.0** 5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods EAP AKA EAP AKA Prime
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP FAST-MSCHAPv2 EAP SIM EAP TLS EAP TTLS PEAPv0 PEAPv1
Protected Management Frames	WPA2™-Personal 2018-04
Spectrum & Regulatory	WPA™-Enterprise
Spectrum & Regulatory 802.11h	WPA™-Enterprise WPA™-Personal
802.11h	WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA91358



Page 3 of 3

Role: Station

Wi-Fi CERTIFIED™ ac (continued) Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A.MPDU Tx HT Duplicate Mode DBSS on Extension Channel Short Guard Interval