

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA91819

Product Info

Date of Certification September 17, 2019

Company Samsung Electronics

Product Name SM-A908Q

Product Model Variant 2019-09-17 (WFA91819 - 9813824)

Model Number SM-A908Q

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA91819



Role: Station	Page 2 of 3
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Android, version:9.0	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 2 2
3.0.0.1.4	5 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)
20 MHz Channel Width in 2.4 GHz	Legacy Power Save
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz	EAP methods
40 MHz Channel Width in 5 GHz	EAP AKA
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP FAST-MSCHAPv2
Protected Management Frames	EAP SIM
<u> </u>	EAP TLS EAP TTLS
Spectrum & Regulatory	PEAPv0
802.11h	PEAPv1
Voice-Enterprise	WPA2™-Personal 2018-04
WMM®	WPA™-Enterprise
WMM®-Admission Control	WPA™-Personal
WMM®-Power Save	Wi-Fi CERTIFIED™ a
	Wi-Fi CERTIFIED™ ac



Short Guard Interval

Wi-Fi Direct®

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA91819

Role: Station Page 3 of 3 Wi-Fi CERTIFIED™ ac (continued) Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx **OBSS** on Extension Channel **Power Management**