

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA95592

Product Info

Date of Certification February 12, 2020

Company FUJIFILM Business Innovation Corp.

Product Name ApeosPort C4570 with Wireless LAN Kit

Product Model Variant 2020-02-12 (WFA95592 - 10551652)

Model Number C4570

Category Computers & Accessories

Sub-category Printer/Multi-Function Printer/Print Server

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise WPA™-Personal



WPA™-Enterprise

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA95592

Role: Station		Page 2 of 3
Wi-Fi Components		
Wi-Fi Component Operating System Linux, version:WindRiver Linux9.0 Wi-Fi Component Firmware Ver.6.37.39.86	RF Architecture	
	Bands Supported Tran	smit (Tx) Receive (Rx)
	2.4 GHz 1	1
	5 GHz 1	1
Certifications		
2.4 GHz Spectrum Capabilities	WPA™-Personal	
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™ a	
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee	
Protected Management Frames		
WMM®	Wi-Fi CERTIFIED™ b	
WPA2™-Enterprise 2018-04	Wi-Fi CERTIFIED™ g	
EAP methods	Wi-Fi CERTIFIED™ n	
EAP TLS EAP TTLS PEAPv0	RIFS Short Guard Interval	
WPA2™-Personal 2018-04	Wi-Fi Direct®	
WPA™-Enterprise	Wi-Fi Protected Setup™	



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA95592

Role: Station		Page 3 of 3
	Wi-Fi Protected Setup™ (continued)	
	PIN Pushbutton	