



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA101693**

## Product Info

Date of Certification	August 31, 2020
Company	Oppo
Product Name	Wireless Router
Product Model Variant	2020-08-31 (WFA101693 - 11565312)
Model Number	CTB02
Category	Other
Sub-category	Other

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2018-04
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2018-04 WPA3™-Personal 2019-08 WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA101693



Role: Station

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, version:sdxpriairie 4.14.117

### Wi-Fi Component Firmware

WLAN.HST.1.0.1.c2-00067

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WMM®-Power Save

### WPA2™-Personal 2018-04

### WPA3™-Personal 2019-08

### WPA™-Personal

### Wi-Fi Agile Multiband™

### Wi-Fi Agile Multiband™ (continued)

ANQP  
Beacon Report Measurement Active Mode  
Beacon Report Measurement Passive Mode  
BTM Query  
Cellular Data capable  
Fast Transition OTA on WPA2-Personal

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
DL Mu PPDU multi-tone  
DL MU-MIMO  
HE NDP  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA101693



Role: Station

Page 3 of 3

## Wi-Fi CERTIFIED 6® (continued)

MU-RTS Trigger frame  
OM Control field Tx  
OM subfield in A-Control field  
Operating Mode indication  
SU beamformee  
UL OFDMA  
UL TB PPDU multi-tone

## Wi-Fi Protected Setup™

PIN  
Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

STBC  
A-MPDU Tx  
OBSS on Extension Channel  
Power Management  
Short Guard Interval

## Wi-Fi Enhanced Open™ 2018-04