



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA63441

Product Info

Date of Certification April 16, 2018

Company Samsung Electronics

Product Name SM-G930V

Product Model Variant 2018-04-16 (WFA63441 - merged)

Model Number SM-G930V

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2™-Enterprise WPA2™-Personal

WPA2™-Personal 2017-10

WPA™-Enterprise





Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	





Certification ID: WFA63441

Role: Access Point	Page 3 of 6
Note: Access i dilit	i age 5 or 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:7.0

Wi-Fi Component Firmware

REV1.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel RIFS Short Guard Interval STBC A-MPDU Tx





Role: Station	Page 4 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:8.0	Bands Supported Transmit (Tx) Receive (Rx)		
Wi-Fi Component Firmware REV1.0	2.4 GHz 2 2		
	5 GHz 2 2		
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save		
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS		
5 GHz Spectrum Capabilities	WPA2™-Enterprise		
20 MHz Channel Width in 5 GHz	EAP methods		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime		
oo wii iz onamei waan ii o onz	EAP FAST-MSCHAPv2		
Protected Management Frames	EAP SIM EAP TLS		
Chaoteum 9 Dogulatom	EAP TTLS		
Spectrum & Regulatory	PEAPv0 PEAPv1		
802.11h	1 2/4 4 1		
Voice-Enterprise	WPA2™-Personal 2017-10		
WMM®	WPA™-Enterprise		
WMM®-Admission Control	WPA™-Personal		
WMM®-Power Save	Wi-Fi CERTIFIED™ a		
	Wi-Fi CERTIFIED™ ac		





Role: Station
Wi-Fi CERTIFIED™ ac (continued)
Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ b
W: F: CERTIFIER W
WI-FI CERTIFIED'" g
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management Short Guard Interval
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management Short Guard Interval Wi-Fi Direct®
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management Short Guard Interval
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Power Management Short Guard Interval Wi-Fi Direct®





Role: Source	Page 6 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:8.0 Wi-Fi Component Firmware REV1.0	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
Miracast®			
HDCP Encryption			