



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA67193**

## Product Info

<b>Date of Certification</b>	February 20, 2017
<b>Company</b>	Intel
<b>Product Name</b>	Intel® Dual Band Wireless-AC 8260
<b>Product Model Variant</b>	2017-02-20 (WFA67193 - merged)
<b>Model Number</b>	8260
<b>Category</b>	Computers & Accessories
<b>Sub-category</b>	Internal Adapter

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Applications &amp; Services</b>	Wi-Fi Location™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM®
<b>Security</b>	Protected Management Frames WPA2™-Enterprise WPA2™-Personal
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA67193



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

CORE-LOC-v1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval

### Wi-Fi CERTIFIED™ ac (continued)

STBC

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel  
RIFS  
Short Guard Interval  
STBC  
A-MPDU Tx

### Wi-Fi Location™

Fine Timing Measurement 2017



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA67193



Role: Station

Page 3 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

CORE-LOC-v1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11h

### WMM®

### WPA2™-Enterprise

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv1

### WPA2™-Personal

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

STBC  
A-MPDU Tx  
OBSS on Extension Channel  
RIFS  
Short Guard Interval

### Wi-Fi Location™

Fine Timing Measurement 2017