

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA67193**

## **Product Info**

**Date of Certification** February 20, 2017

Company Intel

Product Name Intel® Dual Band Wireless-AC 8260

Product Model Variant 2017-02-20 (WFA67193 - merged)

Model Number 8260

Category Computers & Accessories

**Sub-category** Internal Adapter

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Applications & Services** Wi-Fi Location™ R1

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise WPA2<sup>™</sup>-Personal WPA<sup>™</sup>-Enterprise WPA<sup>™</sup>-Personal

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 



# Wi-Fi CERTIFIED™ Certificate



**Certification ID: WFA67193** 

Role: Access Point	Page 2 of 3

#### Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux

Wi-Fi Component Firmware

CORE-LOC-v1.0

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

**WMM®** 

**WPA2™-Personal** 

**WPA™-Personal** 

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

## Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx Short Guard Interval STBC

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

OBSS on Extension Channel RIFS Short Guard Interval STBC A-MPDU Tx

### Wi-Fi Location™ R1

Fine Timing Measurement 2017



# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA67193** 

Role: Station		P	age 3 of 3	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
CORE-LOC-v1.0	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Personal			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WPA™-Enterprise			
	WPA™-Personal			
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™	<sup>м</sup> a		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™	M b		
40 WHZ Chainel Width in 3 OHZ	Wi-Fi CERTIFIED™	M q		
Protected Management Frames	Wi-Fi CERTIFIED™			
Spectrum & Regulatory		"	_	
802.11h	STBC A-MPDU Tx			
	OBSS on Extension Cha	annel		
WMM®	Short Guard Interval			
WPA2™-Enterprise	Wi-Fi Location™ F	24	_	
EAP methods				
EAP TLS EAP TTLS	Fine Timing Measureme	ent 2017		
PEAPv1				