



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA71547

Product Info

Date of Certification	May 28, 2019
Company	Samsung Electronics
Product Name	SM-G892A
Product Model Variant	2019-05-28 (WFA71547 - merged)
Model Number	SM-G892A
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Miracast® Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA™-Enterprise WPA™-Personal



Certification ID: WFA71547



Summary of Certifications (continued)Page 2 of 6CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory



Wi-Fi CERTIFIED[™] Certificate



Certification ID: WFA71547

Role: Access Point	Page 3 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:9.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
	5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2[™]-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA71547



Role: Station		Pa	age 4 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:9.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Sav	ve (continued)	
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Legacy Power Save Unschedule auto PS		
5 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04	
20 MHz Channel Width in 5 GHz	EAP methods		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime		
	EAP FAST-MSCHA EAP SIM	Pv2	
Protected Management Frames	EAP TLS		
Spectrum & Regulatory	EAP TTLS PEAPv0		
802.11h	PEAPv1		
Voice-Enterprise	WPA2™-Personal 2018-04		
WMM®	WPA™-Enterprise		
WMM®-Admission Control	WPA™-Personal		
WMM®-Power Save	Wi-Fi CERTIFIED	^m a	
	Wi-Fi CERTIFIED	^м ac	



Certification ID: WFA71547



Page 5 of 6

Role: Station

Wi-Fi CERTIFIED™ ac (continued) A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management Short Guard Interval Wi-Fi Direct® Wi-Fi Protected Setup™ Pushbutton



Certification ID: WFA71547



Role: Source Page 6 of 6			
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:9.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 13.38.13.1	2.4 GHz	2	2
13.30.13.1	5 GHz	2	2
Certifications			
Miracast®			

HDCP Encryption