



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA75073**

#### **Product Info**

**Date of Certification** September 11, 2019

**Company** Motorola Solutions

Product Name LEX L11

Product Model Variant 2019-09-11 (WFA75073 - merged)

Model Number LEX L11

**Category** Phones

**Sub-category** Phone, multi-mode (Wi-Fi and other)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04

WPA™-Enterprise WPA™-Personal







**Role: Access Point** Page 2 of 5

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android, version:9.0.0

Wi-Fi Component Firmware

WLAN.HL.1.0.1.c2-00681-QCAHLSWMTPLZ-

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

SU beamformer

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC





**Certification ID: WFA75073** 

Role: Station	Page 3 of 5

#### Wi-Fi Components

#### **Wi-Fi Component Operating System**

Android, version:9.0.0

#### Wi-Fi Component Firmware

WLAN.HL.1.0.1.c2-00681-QCAHLSWMTPLZ-

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

#### Certifications

#### 2.4 GHz Spectrum Capabilities WPA2™-Enterprise 2018-04 (continued)

20 MHz Channel Width in 2.4 GHz PEAPv0
40 MHz Channel Width in 2.4 GHz PEAPv1

#### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### WPA2™-Personal 2018-04

WPA™-Enterprise

**WPA™-Personal** 

#### Wi-Fi CERTIFIED™ a

#### **Protected Management Frames**

### WMM®

#### WMM®-Power Save

#### WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

**EAP SIM** 

EAP TLS

EAP TTLS

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED™ b





**Certification ID: WFA75073** 

Role: Station	Page 4 of 5
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC  A-MPDU Tx  OBSS on Extension Channel  Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN Pushbutton	





**Certification ID: WFA75073** 

Role: Source			Page 5 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:9.0.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
<b>Wi-Fi Component Firmware</b> WLAN.HL.1.0.1.c2-00681-QCAHLSWMTPLZ- 1	2.4 GHz	2	2	
	5 GHz	2	2	
Certifications				
Miracast®				