



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA78539

Product Info

Date of Certification July 16, 2018

Company LG Electronics

Product Name LM-V405UA

Product Model Variant 2018-07-16 (WFA78539 - merged)

Model Number LM-V405UA

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise





Certification ID: WFA78539

Summary of Certificat	tions (continued)	Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	





Certification ID: WFA78539

Role: Access Point	Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version: O OS

Wi-Fi Component Firmware

Ver 1.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

80 MHZ Channel Width in 5 GHZ

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

MCS 8-9 Rx Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel RIFS

Short Guard Interval

STBC

A-MPDU Tx





Certification ID: WFA78539

Role: Station	Page 4 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version: O-OS

Wi-Fi Component Firmware

Ver 1.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Passpoint® Release 2

Display of HS2.0 indication

Network Icon support OMA DM

Operating Class Indication

Online Sign Up and Policy provisioning

SIM credentials

Protected Management Frames

Spectrum & Regulatory

Spectrum & Regulatory (continued)

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP FAST-MSCHAPv2

EAP SIM

EAP TLS

EAP TTLS

PEAPv0





Certification ID: WFA78539

Role: Station	Page 5 of 6
WPA2™-Enterprise 2018-04 (continued)	Wi-Fi Direct®
PEAPv1	Wi-Fi Protected Setup™
WPA2™-Personal 2018-04	PIN Pushbutton
WPA™-Enterprise	
WPA™-Personal	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	
STBC A-MPDU Tx OBSS on Extension Channel RIFS Power Management	
Short Guard Interval	





Certification ID: WFA78539

Role: Source Page 6 of		age 6 of 6	
Wi-Fi Components			
Wi-Fi Component Operating System Android, version:O-OS Wi-Fi Component Firmware Ver 1.0	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications Miracast® HDCP Encryption			