



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA78604

Product Info

Date of Certification July 20, 2018

Company Samsung Electronics

Product Name SM-A600A

Product Model Variant 2018-07-20 (WFA78604 - merged)

Model Number SM-A600A

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory







Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:8.0

Wi-Fi Component Firmware

A600P.001

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel RIFS Short Guard Interval

A-MPDU Tx





Certification ID: WFA78604

Role: Station	Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:8.0

Wi-Fi Component Firmware

A600A.001

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

Spectrum & Regulatory

802.11h

WPA2™-Personal 2018-04

WPA™-Enterprise

WPA™-Personal

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval





Certification ID: WFA78604

Role: Station	Page 4 of 4
Wi-Fi CERTIFIED™ ac (continued)	
STBC	
LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
WI-FI CERTIFIED *** g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
RIFS Short Guard Interval	