



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA79615

Product Info

Date of Certification	November 2, 2018
Company	MediaTek Inc.
Product Name	Cervino
Product Model Variant	2018-11-02 (WFA79615 - merged)
Model Number	MT6765
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	TDLS WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA™-Enterprise WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA79615



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:Android O

Wi-Fi Component Firmware

alps-mp-o1.mp6

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save
Unschedule auto PS

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ ac (continued)

RTS with BW Signaling
A-MPDU with A-MSDU
MCS 8-9 Rx
Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode
OBSS on Extension Channel
RIFS
Short Guard Interval
A-MPDU Tx

Wi-Fi Protected Setup™

PIN
Pushbutton



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA79615



Role: Station

Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:Android O

Wi-Fi Component Firmware

alps-mp-o1.mp6

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

TDLS

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save
Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods
EAP AKA
EAP AKA Prime
EAP SIM
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

WPA2™-Personal 2018-04

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
MCS 8-9 Rx
Short Guard Interval
STBC



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA79615



Role: Station

Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
RIFS
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Protected Setup™

PIN
Pushbutton