



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA90456

Product Info

Date of Certification June 28, 2019

Company HMD Global Oy

Product Name Mobile Phone

Product Model Variant 2019-06-28 (WFA90456 - merged)

Model Number TA-1196

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04



Certification ID: WFA90456



Role: Access Point		Page 2 of 4	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:9	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware WLAN.HL.1.0.1.c2-00590-QCAHLSWMTPLZ-	2.4 GHz	1	1
1	5 GHz	1	1

WI-Fi Component Firmware WLAN.HL.1.0.1.c2-00590-QCAHLSWMTPLZ- 1	2.4 GHz 1 1
	5 GHz 1 1
Certifications	
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac (continued)
20 MHz Channel Width in 2.4 GHz	Short Guard Interval
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b
20 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ n
Protected Management Frames	Short Guard Interval A-MPDU Tx
WMM®	
WPA2™-Personal 2018-04	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
RTS with BW Signaling	
A-MPDU with A-MSDU	
LDPC Rx LDPC Tx	



Certification ID: WFA90456



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:9

Wi-Fi Component Firmware

WLAN.HL.1.0.1.c2-00590-QCAHLSWMTPLZ-

1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval





Certification ID: WFA90456

ole: Station	Page 4 o
Ni-Fi Direct®	
Wi-Fi Protected Setup™	
PIN Pushbutton	