

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA90824

Product Info

Date of Certification July 23, 2019

Company Jiangsu Toppower Automotive Electronics Co., Ltd.

Product Name SAIC MAXUS SV73 NAVI 12.3"

Product Model Variant 2019-07-23 (WFA90824 - merged)

Model Number SV73

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Security Protected Management Frames

WPA2™-Personal 2018-04

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA90824



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Proprietary / Other, description:YUN OS

Wi-Fi Component Firmware

1.0.0-E-20180428.1407

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel RIFS Short Guard Interval STBC A-MPDU Tx



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA90824



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Proprietary / Other, description:YUN OS

Wi-Fi Component Firmware

1.0.0-E-20180428.1407

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

RIFS

Short Guard Interval

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

MCS 8-9 Rx

Short Guard Interval