



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA90898

Product Info

Date of Certification September 12, 2019

Company FairPhone B.V.

Product Name Fairphone 3

Product Model Variant 2019-09-12 (WFA90898 - merged)

Model Number Fairphone 3

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization TDLS

WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise





Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	







Role: Access Point Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:P

Wi-Fi Component Firmware

CNSS-PR-4-0-3-0000240

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac





Role: Station	Page 4 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System Android, version:P	RF Architecture		
	Bands Supported Transmit (Tx) Receive (Rx)		
Wi-Fi Component Firmware CNSS-PR-4-0-3-0000240	2.4 GHz 1 1		
CN35-PR-4-0-3-0000240	5 GHz 1 1		
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Save		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save		
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS		
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 5 GHz	EAP methods		
40 MHz Channel Width in 5 GHz	EAP AKA		
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP SIM		
	EAP TLS		
Protected Management Frames	EAP TTLS		
Spectrum & Regulatory	PEAPv0 PEAPv1		
	FLAFVI		
802.11h	WPA2™-Personal 2018-04		
TDLS	WPA™-Enterprise		
Voice-Enterprise	WPA™-Personal		
WMM®	Wi-Fi CERTIFIED™ a		
WMM®-Admission Control	Wi-Fi CERTIFIED™ ac		





Role: Station	Page 5 o
Wi-Fi CERTIFIED™ ac (continued)	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





	Page 6 of 6	
RF Architecture		
Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1
	Bands Supported 2.4 GHz	Bands Supported Transmit (Tx) 2.4 GHz 1