



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA92156

Product Info

Date of Certification November 1, 2019

Company Samsung Electronics

Product Name SM-A515F/DSM

Product Model Variant 2019-11-01 (WFA92156 - merged)

Model Number SM-A515F/DSM

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory







Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10.0

Wi-Fi Component Firmware

4258

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n


HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx







Role: Station	Page 3 of 4
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Android, version:10.0	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 1 1
4258	5 GHz 1 1
Certifications	
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)
20 MHz Channel Width in 2.4 GHz	Legacy Power Save
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz	EAP methods
40 MHz Channel Width in 5 GHz	EAP AKA
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP SIM
Protected Management Frames	EAP TLS
i iotecteu management i rames	EAP TTLS PEAPv0
Spectrum & Regulatory	PEAPv1
802.11h	
	WPA2™-Personal 2018-04
Voice-Enterprise	WPA™-Enterprise
WMM®	WPA™-Personal
WMM®-Admission Control	Wi-Fi CERTIFIED™ a
WMM®-Power Save	Wi-Fi CERTIFIED™ ac





Certification ID: WFA92156

Role: Station Page 4 of 4 Wi-Fi CERTIFIED™ ac (continued) Extended 5 GHz Channel Support A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval **STBC** LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode **OBSS** on Extension Channel

Short Guard Interval