



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA97207**

### **Product Info**

Date of Certification April 3, 2020

Company Samsung Electronics

Product Name SM-A516N

Product Model Variant 2020-04-03 (WFA97207 - merged)

Model Number SM-A516N

**Category** Phones

**Sub-category** Smartphone

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Applications & Services** Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-02

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA97207** 

Summary	of Certi	ifications	(cont	inued)
- Cullilliai y		illoutions .	COLL	шаса,

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 







Role: Access Point	Page 3 of 5

#### Wi-Fi Components

**Wi-Fi Component Operating System** 

Android, version:10.0

Wi-Fi Component Firmware

4920

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

#### **Certifications**

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

A-MPDU Tx

#### **Protected Management Frames**

**WMM®** 

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval





**Certification ID: WFA97207** 

Role: Station	Page 4 of 5
Wi-Fi Components	

Wi-Fi Component Operating System

Android, version:10.0

Wi-Fi Component Firmware

4920

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx) 2.4 GHz 5 GHz

#### Certifications

#### 2.4 GHz Spectrum Capabilities WMM®-Power Save (continued)

20 MHz Channel Width in 2.4 GHz

Unschedule auto PS

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

**Spectrum & Regulatory** 

**Protected Management Frames** 

### WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

Legacy Power Save

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

#### Voice-Enterprise

**WMM®** 

802.11h

**WMM®-Admission Control** 

WMM®-Power Save

### WPA2™-Personal 2018-04

#### WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 





**Certification ID: WFA97207** 

Role: Station	Page 5 of 5
WPA3™-Enterprise 2020-02 (continued)	Wi-Fi Direct®
EAP TTLS	Wi-Fi Enhanced Open™ 2018-04
PEAPv0	
PEAPv1	
WPA3™-Personal 2020-02	
WPA™-Enterprise	
WPA™-Personal	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
Extended 5 GHz Channel Support	
A-MPDU with A-MSDU	
LDPC Rx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Short Guard Interval	