



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA97316

Product Info

Date of Certification March 24, 2020

Company Xiaomi Communications

Product Name Mi 10 Lite 5G

Product Model Variant 2020-03-24 (WFA97316 - merged)

Model Number M2002J9S

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04







Role: Access Point Page 2 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version: Android 10+

Wi-Fi Component Firmware

3.2.1.0.572.2+

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC

A-MPDU Tx



Certification ID: WFA97316



Role: Station Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version: Android 10+

Wi-Fi Component Firmware

3.2.1.0.572.2+

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04 (continued)

EAP AKA Prime
EAP SIM
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods EAP AKA

Wi-Fi CERTIFIED™ a

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC

SU beamformee

LDPC Tx

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g





Certification ID: WFA97316

Role: Station	Page 4 of 5
Wi-Fi CERTIFIED™ n	
STBC A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Protected Setup™ Pushbutton	





Certification ID: WFA97316

Role: Source	Page 5 of 5		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:Android 10+ Wi-Fi Component Firmware 3.2.1.0.572.2+	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	1	1
Certifications	_		
Miracast®			