



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA97478

Product Info

Date of Certification April 2, 2020

Company FCNT LLC

Product Name F-04K_QOSV

Product Model Variant 2020-04-02 (WFA97478 - merged)

Model Number F-04K QOSV

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08





Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Enterprise WPA™-Personal	





Role: Access Point		Page 3 of 6	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:10	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware V61R034A	2.4 GHz	1	1
Certifications			
2.4 GHz Spectrum Capabilities			
20 MHz Channel Width in 2.4 GHz			
Protected Management Frames			
WMM®			
WPA2™-Personal 2018-04			
Wi-Fi CERTIFIED™ b			
Wi-Fi CERTIFIED™ g			
Wi-Fi CERTIFIED™ n			
Short Guard Interval A-MPDU Tx			





Certification ID: WFA97478

Role: Station	Page 4 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

V00R0xxAe

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

WMM®-Power Save (continued)

Legacy Power Save
Unschedule auto PS

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Passpoint® Release 2

Display of HS2.0 indication

Network Icon support

Network Information in network selection

Operating Class Indication

Online Sign Up and Policy provisioning

SIM credentials

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

Protected Management Frames

WMM®

WMM®-Power Save





Role: Station	Page 5 of 6
WPA3™-Enterprise 2018-04 (continued)	Wi-Fi Enhanced Open™ 2018-04
EAP TTLS	Wi-Fi Protected Setup™
PEAPv1	Pushbutton
WPA3™-Personal 2019-08	
WPA™-Enterprise	
WPA™-Personal	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
DL MU-MIMO	
MCS 8-9 Rx Short Guard Interval	
STBC	
LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
Wi-Fi Direct®	





Role: Source		Page 6 of 6	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:10	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
V00R0xxAe	5 GHz	1	1
Certifications			
Miracast®			
miracusto			