



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA97529

Product Info

Date of Certification April 8, 2020

Company Huawei Device Co., Ltd.

Product Name HUAWEI MatePad T

Product Model Variant 2020-04-08 (WFA97529 - merged)

Model Number BZD-AL00

Category Phones

Sub-category Smartphone

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|----------------|---------------|
|----------------|---------------|

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08

WPA™-Enterprise WPA™-Personal







Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

EMUI 10

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
A-MPDU Tx

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU MCS 8-9 Rx Short Guard Interval





Certification ID: WFA97529

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

EMUI 10

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 1 | 1 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2019-08





Certification ID: WFA97529

| Role: Station | Page 4 of 4 |
|---------------------------|-------------|
| WPA™-Enterprise | |
| WPA™-Personal | |
| Wi-Fi CERTIFIED™ a | |
| Wi-Fi CERTIFIED™ ac | |
| A-MPDU with A-MSDU | |
| MCS 8-9 Rx | |
| Short Guard Interval | |
| STBC | |
| SU beamformee | |
| W' E' OFRIEIER W. | |
| Wi-Fi CERTIFIED™ b | |
| Wi-Fi CERTIFIED™ g | |
| Wi-Fi CERTIFIED™ n | |
| STBC | |
| A-MPDU Tx | |
| HT Duplicate Mode | |
| OBSS on Extension Channel | |
| Short Guard Interval | |
| | |
| Wi-Fi Direct® | |
| | |