



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# Certification ID: WFA100017

# **Product Info**

Date of Certification	November 13, 2020
Company	Samsung Electronics
Product Name	SM-N986U
Product Model Variant	2020-11-13 (WFA100017 - merged)
Model Number	SM-N986U
Category	Phones
Sub-category	Smartphone

# **Summary of Certifications**

-	
CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED <sup>™</sup> a Wi-Fi CERTIFIED <sup>™</sup> ac Wi-Fi CERTIFIED <sup>™</sup> b Wi-Fi CERTIFIED <sup>™</sup> g Wi-Fi CERTIFIED <sup>™</sup> n Wi-Fi Direct® Wi-Fi Enhanced Open <sup>™</sup> 2018-04
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2018
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04



**Certification ID: WFA100017** 



Summary of Certifica	tions (continued)	Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA100017



Role: Access Point	Page 3 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System	<b>RF Architecture</b>		
Android, version:11.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 18.41.12	2.4 GHz	2	2
	5 GHz	2	2

### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### LDPC Tx MCS 8-9 Rx

Wi-Fi CERTIFIED<sup>™</sup> ac (continued)

Short Guard Interval SU beamformer

#### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval A-MPDU Tx

# Protected Management Frames

WMM®

WPA2<sup>™</sup>-Personal 2018-04

WPA3<sup>™</sup>-Personal 2019-08

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx



Certification ID: WFA100017



Role: Station		P	age 4 of 6	
Wi-Fi Components				
Wi-Fi Component Operating System	<b>RF Architecture</b>	RF Architecture		
Android, version:11.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
18.41.12	5 GHz	2	2	
	0.0112	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sa	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save	Legacy Power Save		
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Enterpri	se 2018-04		
20 MHz Channel Width in 5 GHz	EAP methods			
40 MHz Channel Width in 5 GHz	EAP AKA			
80 MHz Channel Width in 5 GHz	EAP AKA Prime			
	EAP SIM EAP TLS			
Protected Management Frames	EAP TTLS			
Spectrum & Regulatory	PEAPv0			
	PEAPv1			
802.11h				

 WPA2™-Personal 2018-04

 Voice-Enterprise
 WPA3™-Enterprise 2018-04

 WMM®
 EAP methods

 WMM®-Admission Control
 EAP AKA

 WMM®-Power Save
 EAP TLS



# Wi-Fi CERTIFIED<sup>™</sup> Certificate

Certification ID: WFA100017

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx



## **Role: Station**

# Page 5 of 6

## WPA3<sup>™</sup>-Enterprise 2018-04 (continued)

EAP TTLS PEAPv0

PEAPv1

#### WPA3<sup>™</sup>-Personal 2019-08

WPA<sup>™</sup>-Enterprise

#### WPA<sup>™</sup>-Personal

#### Wi-Fi Agile Multiband™

#### ANQP

Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable Fast Transition OTA on WPA2-Personal

# Wi-Fi CERTIFIED™ a

SU beamformee UL OFDMA

UL TB PPDU multi-tone

#### Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED 6® (continued)

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame OM Control field Tx

OM subfield in A-Control field Operating Mode indication

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

# Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

## Wi-Fi CERTIFIED 6®

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Wi-Fi Aware™

**Device Ranging** 

A-MPDU with A-MSDU BSRP Trigger frame DL Mu PPDU multi-tone DL MU-MIMO Individual Target Wake Time LDPC Rx

This certificate was downloaded on 2024-04-26 at 01:36:51 UTC



# Certification ID: WFA100017



# **Role: Station**

# Page 6 of 6

### Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx OBSS on Extension Channel Short Guard Interval

#### Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi Optimized Connectivity<sup>™</sup> 2018