



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA101473

Product Info

Date of Certification August 18, 2020

Company Oppo

Product Name Mobile Phone

Product Model Variant 2020-08-18 (WFA101473 - merged)

Model Number CPH2179

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

WPA™-Enterprise WPA™-Personal



Certification ID: WFA101473



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

20200420180329

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval

A-MPDU Tx







Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

20200420180329

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2018-04

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2020-02

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx





Certification ID: WFA101473

Role: Station Page 4 of 4 Wi-Fi CERTIFIED™ ac (continued) MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode **OBSS** on Extension Channel Power Management Short Guard Interval