



Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs



Certification ID: WFA102096

Product Info

Date of Certification	September 28, 2020
Company	Zebra Technologies
Product Name	TC57
Product Model Variant	2020-09-28 (WFA102096 - merged)
Model Number	TC57
Category	Phones
Sub-category	Phone, multi-mode (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2018-04
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 WPA™-Enterprise WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102096



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory
Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102096



Role: Access Point

Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

3.3.5.1.132.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

STBC

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102096



Role: Station

Page 4 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

3.3.5.1.132.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WMM®-Power Save (continued)

Legacy Power Save

Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
cipher suite



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102096



Role: Station

Page 5 of 5

WPA3™-Personal 2019-08

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
RTS with BW Signaling
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04