Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA102133

Product Info

Date of Certification	September 28, 2020
Company	Samsung Electronics
Product Name	SM-A426B
Product Model Variant	2020-09-28 (WFA102133 - merged)
Model Number	SM-A426B
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 WPA™-Enterprise WPA™-Personal

CLASSIFICATION	CERTIFICATION
Spectrum & Regulatory Features	Spectrum & Regulatory

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102133

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10.0

Wi-Fi Component Firmware

3.3.1-00443.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx
MCS 8-9 Rx
Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel
Short Guard Interval
A-MPDU Tx

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA102133

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10.0

Wi-Fi Component Firmware

3.3.1-00443.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods
    EAP AKA
    EAP AKA Prime
    EAP SIM
    EAP TLS
    EAP TTLS
    PEAPv0
    PEAPv1

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04

EAP methods
    EAP AKA
    EAP AKA Prime
    EAP SIM
    EAP TLS
    EAP TTLS
    PEAPv0
    PEAPv1

WPA3™-Personal 2019-08

WPA™-Enterprise

WPA™-Personal

Wi-Fi Aware™

Bluetooth® Low Energy - Browser
Bluetooth® Low Energy - Provider
Bluetooth® Low Energy - Seeker

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
OBSS on Extension Channel
Power Management
Short Guard Interval

Wi-Fi Direct®