

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA109589

Product Info

Date of Certification	January 22, 2021	
Company	HP Inc.	
Product Name	HP Elite Folio	
Product Model Variant	HP Elite Folio 13.5 inch 2-in-1 Notebook PC	
Model Number	HSN-C09C	
Category	Computers & Accessories	
Sub-category	Laptop Computer	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2020-02 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-02
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109589



Role: Station	Pa	Page 2 of 3		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Microsoft Windows 10	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 999.0.1245.3	2.4 GHz	2	2	
333.0.12 - 3.3	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	PEAPv0			
	WPA2™-Personal	2020-02		
5 GHz Spectrum Capabilities	WPA3™-Enterprise 2020-02			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	EAP TLS			
Ducto stad Management Evamos	EAP TTLS PEAPv0			
Protected Management Frames			_	
Spectrum & Regulatory	WPA3™-Personal 2020-02			
802.11h	Wi-Fi Agile Multiband™			
WMM®	Wi-Fi CERTIFIED 6®			
WPA2™-Enterprise 2018-04	A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame			
EAP methods				
EAP TLS	Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256)			
EAP TTLS	DL Mu PPDU multi-tone			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109589



Role: Station

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO HE NDP Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame OM Control field Tx OM subfield in A-Control field Operating Mode indication SU beamformee **UL OFDMA** UL TB PPDU multi-tone

Page 3 of 3

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx OBSS on Extension Channel Short Guard Interval

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g