



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### Certification ID: WFA109686

### **Product Info**

**Date of Certification** March 2, 2021

Company Intel

Product Name Intel(R) Wi-Fi 6 AX101

Product Model Variant AX101-22.40

Model Number AX101

Category Computers & Accessories

Sub-category Internal Adapter

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2020-02

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2020-02 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-02



**Certification ID: WFA109686** 



## **Summary of Certifications (continued)**

Page 2 of 4

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 



**Certification ID: WFA109686** 



**Role: Station** Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Windows 10 2004

Wi-Fi Component Firmware

22.40

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Personal 2020-02

WPA3™-Enterprise 2020-02

WPA2™-Enterprise 2018-04

**Protected Management Frames** 

**Spectrum & Regulatory** 

802.11h

**WMM®** 

**WMM®-Power Save** 

Legacy Power Save Unschedule auto PS EAP methods

EAP methods

**EAP TLS EAP TTLS** PEAPv0

**EAP TLS** 

**EAP TTLS** 

PEAPv0

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Server Certificate Validation

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode



**Certification ID: WFA109686** 



Role: Station Page 4 of 4

#### Wi-Fi Agile Multiband™ (continued)

Beacon Report Measurement Passive Mode Fast Transition OTA on WPA2-Enterprise

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

#### Wi-Fi CERTIFIED™ ac (continued)

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Power Management

**Short Guard Interval** 

#### Wi-Fi Direct®

#### Wi-Fi Enhanced Open™ 2020-02

#### Wi-Fi Protected Setup™

PIN

Pushbutton