



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA109876**

## Product Info

|                       |   |
|-----------------------|---|
| Date of Certification | January 13, 2021  |
| Company               | Vantiva   |
| Product Name          | OWA0131   |
| Product Model Variant | OWA0131VDF2   |
| Model Number          | GENIE01   |
| Category              | Routers   |
| Sub-category          | Access Point for Home or Small Office (Wireless Router) |

## Summary of Certifications

| CLASSIFICATION | CERTIFICATION   |
|----------------|---|
| Access         | Wi-Fi Protected Setup™  |
| Connectivity   | 2.4 GHz Spectrum Capabilities<br>5 GHz Spectrum Capabilities<br>Wi-Fi CERTIFIED 6®<br>Wi-Fi CERTIFIED™ a<br>Wi-Fi CERTIFIED™ ac<br>Wi-Fi CERTIFIED™ b<br>Wi-Fi CERTIFIED™ g<br>Wi-Fi CERTIFIED™ n |
| Optimization   | WMM®<br>Wi-Fi Agile Multiband™  |
| Security       | Protected Management Frames<br>WPA2™-Enterprise 2018-04<br>WPA2™-Personal 2020-02<br>WPA3™-Enterprise 2020-02<br>WPA3™-Personal 2020-12<br>WPA™-Enterprise<br>WPA™-Personal                       |



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109876



## Summary of Certifications (continued)

Page 2 of 4

### CLASSIFICATION

### CERTIFICATION

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109876



Role: Access Point

Page 3 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, version:4.19

### Wi-Fi Component Firmware

17.10.121.2004

### RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz         | 2             | 2            |
| 5 GHz           | 4             | 4            |

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11h

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods

### WPA2™-Personal 2020-02

### WPA3™-Enterprise 2020-02

EAP methods

### WPA3™-Personal 2020-12

### WPA™-Enterprise

### WPA™-Personal

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

4 antenna support  
A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109876



Role: Access Point

Page 4 of 4

## Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
Operating Mode indication  
SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA

## Wi-Fi Protected Setup™ (continued)

PIN  
Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™