



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA109958

Product Info

Date of Certification January 20, 2021

Company Samsung Electronics

Product Name SM-A526B/DS

Product Model Variant 2021-01-07

Model Number SM-A526B/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2020-02 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02





Certification ID: WFA109958

Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA109958



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 11.0

Wi-Fi Component Firmware

WLAN.HL.3.2.2-00689

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

Wi-Fi CERTIFIED™ ac (continued)

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

MCS 8-9 Rx

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WPA2™-Personal 2020-02

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



WMM®-Power Save

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA109958



Role: Station Page 4 of 5 Wi-Fi Components **Wi-Fi Component Operating System RF Architecture** Android 11.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz WLAN.HL.3.2.2-00689 5 GHz Certifications 2.4 GHz Spectrum Capabilities WMM®-Power Save (continued) 20 MHz Channel Width in 2.4 GHz Legacy Power Save Unschedule auto PS **5 GHz Spectrum Capabilities** WPA2™-Enterprise 2018-04 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz EAP methods 80 MHz Channel Width in 5 GHz EAP AKA **EAP AKA Prime** EAP SIM **Protected Management Frames EAP TLS EAP TTLS Spectrum & Regulatory** PEAPv0 PEAPv1 802.11h WPA2™-Personal 2020-02 Voice-Enterprise WPA3™-Enterprise 2020-02 **WMM®** EAP methods **WMM®-Admission Control** EAP AKA

EAP AKA Prime

EAP SIM





Certification ID: WFA109958

Role: Station Page 5 of 5

WPA3[™]-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

WPA3™-Personal 2020-02

Wi-Fi Direct®

WPA™-Enterprise

Wi-Fi Protected Setup™

WPA™-Personal

Pushbutton

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g