



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA109958

Product Info

Date of Certification January 20, 2021

Company Samsung Electronics

Product Name SM-A526B/DS

Product Model Variant 2021-01-07

Model Number SM-A526B/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Aware™

Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save

Performance Voice-Enterprise

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2020-02 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b



Certification ID: WFA109958



Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



Certification ID: WFA109958



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 11.0

Wi-Fi Component Firmware

WLAN.HL.3.2.2-00689

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WPA2™-Personal 2020-02

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Certification ID: WFA109958



Role: Station		P	age 4 of 5	
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 11.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	1	1	
WLAN.HL.3.2.2-00689	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sav	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save Unschedule auto PS			
5 GHz Spectrum Capabilities				
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	WPA2™-Enterprise 2018-04		
40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	EAP AKA			
	EAP AKA Prime EAP SIM			
Protected Management Frames	EAP TLS			
Spectrum & Regulatory	EAP TTLS			
Spectrum & Regulatory	PEAPv0			
802.11h	PEAPv1			
Voice-Enterprise	WPA2™-Personal	2020-02		
WMM®	WPA3™-Enterpris	se 2020-02		
WMM®-Admission Control	EAP methods EAP AKA			
	EAP AKA Prime			
WMM®-Power Save	EAP SIM			
	EAP TLS			



Certification ID: WFA109958



Role: Station Page 5 of 5

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel

Wi-Fi Protected Setup™

Short Guard Interval

Wi-Fi Direct®

Pushbutton

WPA3™-Personal 2020-02

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx