



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA94463

Product Info

Date of Certification January 12, 2021

Company Motorola Mobility LLC

Product Name XT2061-1

Product Model Variant XT2061-1 - Android R (11.0)

Model Number XT2061-1

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2020-02

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2020-02





Certification ID: WFA94463

Summary of Certificat	tions (continued)	Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12	
Spectrum & Regulatory Features	Spectrum & Regulatory	





Certification ID: WFA94463

Role: Access Point	Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:11

Wi-Fi Component Firmware

HST.1.0.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)	
2.4 GHz	2	2	
5 GHz	2	2	

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

WMM®

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2020-02

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx







Role: Station			Page 4 of 5			
Wi-Fi Components						
Wi-Fi Component Operating System	RF Architecture					
Android, version:11	Bands Su	upported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz		2	2		
HST.1.0.1	5 GHz		2	2		
	0 0112		_	_		
Certifications						
2.4 GHz Spectrum Capabilities	WMM®-P	WMM®-Power Save (continued)				
20 MHz Channel Width in 2.4 GHz	Legacy Pow	ver Save				
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS					
5 GHz Spectrum Capabilities	WP∆2™-	Enterprise	2018-04			
	_		2010 01			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz		EAP methods EAP AKA				
80 MHz Channel Width in 5 GHz		KA Prime				
	EAP SII					
Protected Management Frames	EAP TL EAP TT					
		PEAPv0				
Spectrum & Regulatory	PEAPv ²	PEAPv1				
802.11h						
	WPA2™-	Personal :	2020-02			
Voice-Enterprise	WPA3™-	Enterprise	e 2020-02			
WMM®	EAP method	ds				
WMM®-Admission Control		EAP AKA EAP AKA Prime				
	EAP AN					
WMM®-Power Save	EAP TL	EAP TLS				





Certification ID: WFA94463

Role: Station Page 5 of 5

WPA3[™]-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2020-02

Wi-Fi Protected Setup™

PIN