



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA94463

Product Info

Date of Certification January 12, 2021

Company Motorola Mobility LLC

Product Name XT2061-1

Product Model Variant XT2061-1 - Android R (11.0)

Model Number XT2061-1

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™

Performance Voice-Enterprise

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2020-02 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-12 Wi-Fi Enhanced Open[™] 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a



Certification ID: WFA94463



Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



Certification ID: WFA94463



Role: Access Point	Page 3 of 5
--------------------	-------------

W	/i-	Fi	Co	m	noi	nents
---	-----	----	----	---	-----	-------

Wi-Fi Component Operating System

Android, version:11

Wi-Fi Component Firmware

HST.1.0.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz40 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

WMM®

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2020-02

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC

A-MPDU Tx



Certification ID: WFA94463



Role: Station			P	Page 4 of 5		
Wi-Fi Components						
Wi-Fi Component Operating System	RF Architecture					
Android, version:11	Bands	Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware HST.1.0.1	2.4 GI	Ηz	2	2		
пот.т.о.т	5 GHz	:	2	2		
Certifications						
2.4 GHz Spectrum Capabilities	WMM®	WMM®-Power Save (continued)				
20 MHz Channel Width in 2.4 GHz	1 2.4 GHz Legacy Power Save					
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS					
5 GHz Spectrum Capabilities	WPA2	WPA2™-Enterprise 2018-04				
20 MHz Channel Width in 5 GHz	EAP me	thods				
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz		EAP AKA EAP AKA Prime				
OU MINZ CHAIINEI WIGHTIN 5 GNZ		SIM				
Protected Management Frames		TLS				
-	PEA					
Spectrum & Regulatory	PEA	Pv1				
802.11h						
	WPA2	™-Personal	2020-02			
Voice-Enterprise	WPA3	™-Enterpris	se 2020-02			
WMM®	EAP me					
WMM®-Admission Control		AKA AKA Prime				
		SIM				



Certification ID: WFA94463



Role: Station Page 5 of 5

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2020-02

Wi-Fi Protected Setup™

PIN