



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA100762**

### **Product Info**

Date of Certification January 8, 2021

Company Broadcom Corporation

Product Name Broadcom 802.11 a/b/g/n/ac/ax 4x4 Wireless Router

Product Model Variant Wi-Fi 6E

Model Number BCM94908R43684W6E

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2020-02

Optimization WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2020-02 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-12

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA100762** 

0	- f O	/4!	داء ۽ ۽ ۽ ۽
Summarv	of Certificati	ons (conti	nuea

Page 2 of 4

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 





**Certification ID: WFA100762** 

Role: Access Point	Page 3 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux, version:4.1.52	Bands Supported Transmit (Tx) Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz 4 4		
17.10.156.3	5 GHz 4 4		
	6 GHz 4 4		
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11h		
	WMM®		
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 5 GHz			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
160 MHz Channel Width in 5 GHz	WPA2™-Personal 2020-02		
6 GHz Spectrum Capabilities	WPA3™-Enterprise 2020-02		
20 MHz Channel Width in 6 GHz	EAP methods		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz			
oo wii z Ghaillei widdi ii o Ghz	WPA3™-Personal 2020-12		
Protected Management Frames	WPA™-Enterprise		
Spectrum & Regulatory WPA™-Personal			
802.11d	Wi-Fi Agile Multiband™		







Role: Access Point Page 4 of 4

#### Wi-Fi Agile Multiband™ (continued)

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU

## Wi-Fi CERTIFIED™ ac (continued)

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

### Wi-Fi Enhanced Open™ 2020-02