



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA101082**

## **Product Info**

**Date of Certification** January 8, 2021

**Company** Broadcom Corporation

**Product Name** Broadcom 802.11 a/b/g/n/ac/ax 24g/5g/6g 2x2 wireless adapter

Product Model Variant Wi-Fi 6E

Model Number BCM94391

**Category** Other

Sub-category Embedded Module

## **Summary of Certifications**

CI ASSIFI	CATION	CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2020-02

Optimization WMM®

Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2020-02 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-12

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA101082** 

Summary	of Cert	tifications	Cont	inued)
Juillillai y		illications i	(COIIL	IIIucu,

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 







Role: Station Page 3 of 5

## Wi-Fi Components

## **Wi-Fi Component Operating System**

Linux, version:Fedora 30

## Wi-Fi Component Firmware

ca\_get\_version: OCE\_2020FR\_1.0, SW version:1.108.6-r-900246:01-3bc4cd4b

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

#### Certifications

## 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

## Spectrum & Regulatory (continued)

802.11h

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

## **WMM®**

## WPA2™-Enterprise 2018-04

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

## **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz

## WPA2™-Personal 2020-02

## WPA3™-Enterprise 2020-02

EAP TLS
EAP TTLS
PEAPv0
PEAPv1

EAP methods

## **Protected Management Frames**

## Spectrum & Regulatory



Certification ID: WFA101082



Role: Station Page 4 of 5

#### WPA3™-Personal 2020-12

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

**Beacon Protection** 

SAE-Public Key

Operating Channel Validation

**Privacy Extensions** 

Active Scan

ANQP

### Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformee

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

## **WPA™-Enterprise**

#### WPA™-Personal

## Wi-Fi Agile Multiband™

ANQP

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

## Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

## Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel





**Certification ID: WFA101082** 

Role: Station Page 5 of 5

## Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval

## Wi-Fi Enhanced Open™ 2020-02

## Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

FILS Indication Element support

AKM Suite Selector Type 15

FILS Higher Layer Protocol with DHCP v4 Rapid Commit

Fast Transition OTA on WPA2-Enterprise

Pushbutton

Probe Deferral and Suppression

## Wi-Fi QoS Management™

MSCS setup at association