



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA123201**

# **Product Info**

Date of Certification	November 3, 2022
Company	Hewlett Packard Enterprise
Product Name	AP-518
Product Model Variant	AP518
Model Number	AP518
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Applications & Services	Wi-Fi Location™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2018-04
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2018-04 WPA3 <sup>™</sup> -Enterprise 2018-04 WPA3 <sup>™</sup> -Personal 2019-08



# **Certification ID: WFA123201**



Summary of Certifications (continued)		Page 2 of 4
CLASSIFICATION	CERTIFICATION	
Spectrum & Regulatory Features	Spectrum & Regulatory	

This certificate was downloaded on **2025-05-01** at **09:00:09** UTC Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



**Certification ID: WFA123201** 



## **Role: Access Point**

## Page 3 of 4

# Wi-Fi Components

### Wi-Fi Component Operating System

Proprietary / Other, version:8.6, description: Aruba OS

#### Wi-Fi Component Firmware

6.2.1GA

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

### Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods		
5 GHz Spectrum Capabilities	WPA2™-Personal 2018-04		
	WPA3™-Enterprise 2018-04		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods 192-bit security		
Protected Management Frames	WPA3™-Personal 2019-08		
Spectrum & Regulatory	Wi-Fi Agile Multiband™		
	Wi-Fi Agile Multiband <sup>™</sup> Automatically populate BSS Transition candidate list Cellular Data aware Fast Transition OTA on WPA2-Enterprise		
Spectrum & Regulatory 802.11d	Automatically populate BSS Transition candidate list Cellular Data aware		
Spectrum & Regulatory 802.11d 802.11h	Automatically populate BSS Transition candidate list Cellular Data aware Fast Transition OTA on WPA2-Enterprise		

This certificate was downloaded on 2025-05-01 at 09:00:09 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.



Certification ID: WFA123201



### **Role: Access Point**

## Page 4 of 4

Wi-Fi	CERT	IFIED	<b>6</b> ®	(continue	ed)

**BSRP** Trigger frame DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element M-BSSID Operating mode subfield in A-Control field Operating mode indication Operating mode UL MU Rx SU-MIMO **TXOP RTS Threshold UL OFDMA** 

#### Wi-Fi CERTIFIED™ n

HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx

#### Wi-Fi Enhanced Open™ 2018-04

#### Wi-Fi Location™

Fine Timing Measurement 2017

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

This certificate was downloaded on **2025-05-01** at **09:00:09** UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.