

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA131582

## **Product Info**

Date of Certification	June 12, 2024
Company	TP-Link Systems Inc.
Product Name	BE11000 Whole Home Mesh Wi-Fi 7 System
Product Model Variant	Deco BE65 Pro
Model Number	Deco BE65 Pro
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED ™ a Wi-Fi CERTIFIED ™ ac Wi-Fi CERTIFIED ™ b Wi-Fi CERTIFIED ™ g Wi-Fi CERTIFIED ™ n Wi-Fi Enhanced Open ™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2023-12

This certificate was downloaded on 2025-05-01 at 04:34:45 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.



## Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA131582** 



## **Role: Access Point**

## Page 2 of 3

<b>RF Architecture</b>		
Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2
	Bands Supported 2.4 GHz 5 GHz	Bands SupportedTransmit (Tx)2.4 GHz25 GHz2

#### Certifications

2.4 GHz Spectrum Capabilities	WPA3™-Personal 2023-12
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	AKM 24 Beacon Protection
5 GHz Spectrum Capabilities	Wi-Fi Agile Multiband™
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED 6® Release 2 Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256)
6 GHz Spectrum Capabilities 20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MU-BAR Trigger frame
Protected Management Frames WMM® WPA2™-Personal 2021-01	Operating mode subfield in A-Control field Operating mode indication Operating mode UL MU Rx SU beamformer SU-MIMO UL OFDMA

This certificate was downloaded on 2025-05-01 at 04:34:45 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



## Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA131582** 



#### **Role: Access Point**

### Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)	Wi-Fi CERTIFIED™ ac (continued)
Wi-Fi 6E Co-located BSS	LDPC Rx
Wi-Fi 6 Release 2 features UL MU-MIMO	MCS 8-9 Rx RTS with BW Signaling
Dynamic MU SMPS	Short Guard Interval SU beamformer

#### Wi-Fi CERTIFIED 7™

### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval

#### Wi-Fi Enhanced Open™ 2023-12

BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) Compressed Block Ack Rx (buffer size 512) Compressed Block Ack Tx (buffer size 512) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx Multi-RU Operating mode indication Static puncturing STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization UL MU-MIMO

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

DL MU-MIMO

**UL OFDMA** 

This certificate was downloaded on 2025-05-01 at 04:34:45 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.